

Bits	Search Text	DBs	Time Stamp
1 3	("20020143732" "20020091694" "20020029209" "6604097").did.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 14:41
2 7	database and index and (key or (unique adj (id or identifier or identification)) and ((exclusive\$2 near3 lock\$3) or x?lock) and ((pseudo?delet\$3 or "pseudo delete") or (lock with delet\$3 with (attribute or bit or flag or bool or boolean))) (database and index and (key or (unique adj (id or identifier or identification)) and ((exclusive\$2 near3 lock\$3) or x?lock) and ((pseudo?delet\$3 or "pseudo delete") or (lock with delet\$3 with (attribute or bit or flag or bool or boolean)))) and @ad<=20010628	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 14:51
3 7	database and index and ((exclusive\$2 near3 lock\$3) or x?lock) and ((shared near3 lock\$3) or s?lock) and ((pseudo?delet\$3 or pseudodelet\$3 or (pseudo adj delet\$3) or (soft adj delet\$3) or (delet\$3 near2 (flag or flagged or flagging or bit or bool or attribute or boolean)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 15:37
4 6			

Bits	Search Text	DBs	Time Stamp
5 6	<p>(database and index and ((exclusive\$2 near3 lock\$3) or x?lock) and ((shared near3 lock\$3) or s?lock) and ((pseudo?delets\$3 or pseudodelets\$3 or (pseudo adj delet\$3) or (soft adj delet\$3) or (delets\$3 near2 (flag or flagged or flagging or bit or bool or attribute or boolean))) same lock\$3) and @ad<=20010628</p> <p>(search\$3 with index) and database and (pseudodelets\$3 or pseudo?delets\$3 or (pseudo adj delet\$3) or (soft adj delet\$3) or (delets\$3 near2 (flag or flagged or flagging or bit or attribute or bool or boolean))) and ((lock\$3 or x?lock\$3 or s?lock\$3 or (exclusive\$2 adj lock\$3) or (shared adj lock\$3)))</p>	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 15:47
6 50	(search\$3 with index) and database and (pseudodelets\$3 or pseudo?delets\$3 or (pseudo adj delet\$3) or (soft adj delet\$3) or (delets\$3 near2 (flag or flagged or flagging or bit or attribute or bool or boolean))) and ((lock\$3 or x?lock\$3 or s?lock\$3 or (exclusive\$2 adj lock\$3) or (shared adj lock\$3)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 15:50
7 2	(search\$3 with index) and database and (pseudodelets\$3 or pseudo?delets\$3 or (pseudo adj delet\$3) or (soft adj delet\$3) or (delets\$3 near2 (flag or flagged or flagging or bit or attribute or bool or boolean))) and ((lock\$3 or x?lock\$3 or s?lock\$3 or (exclusive\$2 adj lock\$3) or (shared adj lock\$3)) and ((conditional with (lock\$3 or x?lock\$3 or s?lock\$3)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 15:52

Bits	Search Text	DBs	Time Stamp
8 45	((search\$3 with index) and database and (pseudodelet\$3 or pseudo?delet\$3 or (pseudo adj delet\$3) or (soft adj delet\$3) or (delet\$3 near2 (flag or flagged or flagging or bit or attribute or bool or boolean)) and (lock\$3 or x?lock\$3 or s?lock\$3 or (exclusive\$2 adj lock\$3) or (shared adj lock\$3)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 15:52
9 40	((search\$3 with index) and database and (pseudodelet\$3 or pseudo?delet\$3 or (pseudo adj delet\$3) or (soft adj delet\$3) or (delet\$3 near2 (flag or flagged or flagging or bit or attribute or bool or boolean)) and (lock\$3 or x?lock\$3 or s?lock\$3 or (exclusive\$2 adj lock\$3) or (shared adj lock\$3))) and key) and @ad<=20010628	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 15:53
10 9	("4914569" "5119490" "5280612" "5551027" "5960194" "6009425" "6032216" "6047285" "6105025").did.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/05 12:27
11 3699	pseudodelet\$3 or pseudo?delet\$3 or (pseudo adj delet\$3) or (soft nearl delet\$3) or ((flag or flagging or flagged or mark or marked or marking or bit or bool or boolean) near2 delet\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/05 12:29

Bits	Search Text	DBs	Time Stamp
12 17	(pseudodelet\$3 or pseudo?delet\$3 or (pseudo adj delet\$3) or (soft nearl delet\$3) or ((flag or flagging or flagged or mark or marking or bit or bool or boolean) near2 delet\$3) and (x?lock or xlock or (exclusive\$2 nearl lock\$3) and (s?lock or lock or (shared nearl lock\$3)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/05 12:32
13 872	(pseudodelet\$3 or pseudo?delet\$3 or (pseudo adj delet\$3) or (soft nearl delet\$3) or ((flag or flagging or flagged or mark or marking or bit or bool or boolean) near2 delet\$3)) and lock\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/05 12:32
14 7	((pseudodelet\$3 or pseudo?delet\$3 or (pseudo adj delet\$3) or (soft nearl delet\$3) or ((flag or flagging or flagged or mark or marking or bit or bool or boolean) near2 delet\$3) and (x?lock or xlock or (exclusive\$2 nearl lock\$3) and (s?lock or lock or (shared nearl lock\$3))) and ((unconditional or condition\$4) near5 (lock\$3 or s?lock or lock	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/05 12:33

Bits	Search Text	DBs	Time Stamp
15 7	<p>((pseudo?delet\$3 or pseudo?delet\$3 or (pseudo adj delet\$3) or (soft near1 delet\$3) or ((flag or flagging or flagged or mark or marked or marking or bit or bool or boolean) near2 delet\$3) and (x?lock or xlock or (exclusive\$2 near1 lock\$3)) and (s?lock or slock or (shared near1 lock\$3)) and ((unconditional or condition\$4) near5 (lock\$3 or s?lock or slock)) and @ad<=20010628</p>	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/05 13:05
16 51	<p>((pseudodelet\$3 or pseudo?delet\$3 or (pseudo adj delet\$3) or (soft near1 delet\$3) or ((flag or flagging or flagged or mark or marked or marking or bit or bool or boolean) near2 delet\$3) and lock\$3) and (condition\$4 with (lock\$3 or x?1</p>	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/05 13:06
17 16	<p>((pseudodelets\$3 or pseudo?delet\$3 or (pseudo adj delet\$3) or (soft near1 delet\$3) or ((flag or flagging or flagged or mark or marked or marking or bit or bool or boolean) near2 delet\$3) and lock\$3) and (condition\$4 with (lock\$3 or x?lock or s?lock)) and (database or data?base)</p>	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/05 13:06

Hits	Search Text	DBs	Time Stamp
18 27	((pseudo?delet\$3 or pseudo?delet\$3 or (pseudo adj delet\$3) or (soft near1 delet\$3) or ((flag or flagging or flagged or mark or marked or marking or bit or bool or boolean) near2 delet\$3) and lock\$3) and (condition\$4 with (lock\$3 or x?lock or s?lock)) and index\$3 (((pseudo?delet\$3 or pseudo?delet\$3 or (pseudo adj delet\$3) or (soft near1 delet\$3) or ((flag or flagging or flagged or mark or marked or marking or bit or bool or boolean) near2 delet\$3) and lock\$3) and (condition\$4 with (lock\$3 or x?lock or s?lock)) and index\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/05 13:06
19 34	(database or data?base)) or (((pseudo?delet\$3 or pseudo?delet\$3 or (pseudo adj delet\$3) or (soft near1 delet\$3) or ((flag or flagging or flagged or mark or marked or marking or bit or bool or boolean) near2 delet\$3) and lock\$3) and (condition\$4 with (lock\$3 or x?lock or s?lock)) and index\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/05 13:07

Bits	Search Text	DBs	Time Stamp
20	<p>((((pseudo?delet\$3 or pseudo?delet\$3 or (pseudo adj delet\$3) or (soft near1 delet\$3) or ((flag or flagging or flagged or mark or marked or marking or bit or bool or boolean) near2 delet\$3) and lock\$3) and (condition\$4 with (lock\$3 or x?lock or s?lock)) and (database or data?base)) or (((pseudo?delet\$3 or pseudo?delet\$3 or (pseudo adj delet\$3) or (soft near1 delet\$3) or ((flag or flagging or flagged or mark or marked or marking or bit or bool or boolean) near2 delet\$3) and lock\$3) and (condition\$4 with (lock\$3 or x?lock or s?lock)) and index\$3)) and @ad<=20010628</p>	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/05 13:07
21	(707/8 707/200 707/201 707/1).cccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/05 13:56
22	((707/8 707/200 707/201 707/1).cccls.) and (lock\$3 or x?lock or s?lock)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/05 13:56
23	(((707/8 707/200 707/201 707/1).cccls.) and (lock\$3 or x?lock or s?lock)) and index\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/05 13:57
24	(((707/8 707/200 707/201 707/1).cccls.) and (lock\$3 or x?lock or s?lock)) and index\$3 and transact\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/05 13:58

Bits	Search Text	DBs	Time Stamp
25 37	<p>((((707/8 707/200 707/201 707/1).ccls.) and (lock\$3 or x?lock or s?lock)) and index\$3) and transact\$3) and (pseudodelet\$3 or pseudo?delet\$3 or (pseudo adj delet\$3) or (soft adj delet\$3) or ((flag or flagged or flagging or mark or marked or marking or bit or bool or boolean) near2 delet\$3))</p>	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/05 14:00
26 35	<p>((((707/8 707/200 707/201 707/1).ccls.) and (lock\$3 or x?lock or s?lock)) and index\$3) and transact\$3) and (pseudodelet\$3 or pseudo?delet\$3 or (pseudo adj delet\$3) or (soft adj delet\$3) or ((flag or flagged or flagging or mark or marked or marking or bit or bool or boolean) near2 delet\$3))) and @ad<=20010628</p>	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/05 14:00